



Fungicide

Exteris® Stressgard is a systemic and mesostemic fungicide which provides moderate control of Microdochium Patch (*Microdochium nivale*) and control of Dollar Spot (*Sclerotinia homoeocarpa*) when used in preventative or early curative situations on bowling greens, cricket pitches, lawn tennis courts, professional sports grounds/stadiums and golf greens, tees and fairways.

An aqueous suspension concentrate containing 12.5 g/L fluopyram and 12.5 g/L trifloxystrobin

For Professional use only

Exteris® Stressgard

Contains 12.5 g/L fluopyram and 12.5 g/L trifloxystrobin.

May cause an allergic skin reaction.

May cause harm to breast-fed children.

Very toxic to aquatic life with long lasting effects.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Do not breathe gas/mist/vapours/spray.


Avoid contact during pregnancy/while nursing.

Dispose of contents/container to a licenced hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.

Contains trifloxystrobin and 1, 2-benzisothiazol-3(2H)-one.

May produce an allergic skin reaction.



UFI : 5YD0-KOYY-V00R-QF24

PCS: 05719



envu™

5 L e

IE85363867E - A3

Preventative Microdochium Patch disease management



EXTERIS®
+ Stressgard®

IMPORTANT INFORMATION

FOR USE ONLY AS A HORTICULTURAL FUNGICIDE

Situation: Managed amenity turf.

Maximum individual dose: 10 L/ha

Maximum number of treatments: Two per year

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCT



3 700479 005984

Exteris Stressguard - IE - 5 L - IE85432877F - A3 - **ARTICLE 85348183**

For 24 hour emergency information contact Telephone: +44 20 3807 3798

Further information is available from: Telephone 00800 12149451

www.uk.envu.com

For SDS and larger label

Envu, the Envu logo and Exteris Stressgard® are trademarks owned by Environmental Science U.S. LLC. or one of its affiliates

Authorisation Holder
2022 Environmental Science FR SAS
1 Place Giovanni Da Verrazzano
69009 Lyon,
France

Batch Number :

GENERAL INFORMATION:

Exteris® Stressgard is a systemic and mesostemic fungicide which provides moderate control of Microdochium Patch (*Microdochium nivale*) and control of Dollar Spot (*Sclerotinia homoeocarpa*) when used in preventative or early curative situations on bowling greens, cricket pitches, lawn tennis courts, professional sports grounds/stadiums and golf greens, tees and fairways.

RESTRICTIONS:

Exteris® Stressgard is not to be used on commercial, residential or estate lawns.

Do not apply during drought conditions or to frozen turf.

If grass is being mown, Exteris® Stressgard should be applied after cutting and further mowing should not take place until AT LEAST 24 hours after treatment.

Do not apply more than 2 applications per year.

A minimum of two weeks must be observed between treatments.

SAFETY PRECAUTIONS

Operator Protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when handling the concentrate.

WEAR SUITABLE PROTECTIVE GLOVES when handling contaminated surfaces.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when applying by hand-held equipment

Environmental Protection

Do not contaminate water with the product or its container. (Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads).

To protect aquatic organisms respect an unsprayed buffer zone of 5 m to surface water bodies.

Storage and Disposal

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDINGSTUFFS.

KEEP OUT OF REACH OF CHILDREN.

KEEP IN ORIGINAL CONTAINER tightly closed in a safe place.

RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely.

DO NOT RE-USE CONTAINER for any purpose.

DIRECTIONS FOR USE:

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be carefully read in order to obtain safe and successful use of this product.

PROTECT FROM FROST

APPLICATION:

For preventative and early curative moderate control of Microdochium Patch (*Microdochium nivale*) and preventative and early curative control of Dollar Spot (*Sclerotinia homoeocarpa*).

The product is to be applied as a foliar spray with a rate of 10 L/ha diluted in 200 to 600 L of water per hectare of turf.

For use with knapsack sprayers or vehicle mounted hydraulic sprayers.

Application Equipment			
Vehicle-mounted Hydraulic Sprayer		Knapsack Sprayer	
Rate per hectare	Water per hectare	Rate per 100 m ²	Water per 100 m ²
10 Litres	200-600 litres	100 mls	2 -6 litres
		Rate per 500 m²	Water per 500 m²
		500 mls	10-30 litres

Mixing:

Sprayers should be THOROUGHLY CLEANED before use and filters and jets checked for damage and blockages.

Thoroughly shake the pack before use.

Half fill the sprayer tank with clean water and agitate. Add the required amount of Exteris® Stressgard.

Mix thoroughly and make up to the required volume of water while still agitating.

Spray immediately after mixing. Continue agitation at all times during spraying and stoppages, until the tank is completely empty.

Ensure an even distribution on the turf to be treated.

Wash out all spray equipment thoroughly with water immediately after use.

Application Timing

Exteris® Stressgard is used as a foliar-applied fungicide and for best results should be used when the grass is actively growing.

Microdochium Patch (Microdochium nivale).

For best results Exteris® Stressgard should be used preventative or early curative before or at the first occurrence of symptoms, usually early autumn when weather conditions are conducive to disease development. A second application can be made if necessary, usually 28 days (minimum 14 days interval).

Dollar Spot (Sclerotinia homoeocarpa).

Exteris® Stressgard can be used preventative or curatively. For best results apply Exteris Stressgard at the first occurrence of symptoms, usually early summer to autumn when weather conditions are conducive to disease development. A second application can be made if necessary, usually 28 days (minimum 14 days interval).

Exteris® Stressgard can be applied year round.

Resistance Management:

Exteris® Stressgard contains active ingredients from strobilurin class of chemistry, trifloxystrobin and the SDHI class of chemistry, fluopyram.

The use of Exteris® Stressgard should conform to resistance management strategies. Such strategies should include using in rotation with products containing an active substance with a different mode of action which is effective against the target disease, limiting the total number of applications per season, and using non-chemical methods of disease control. Envu recommends responsible product stewardship to ensure effective long term control of the fungal diseases on this label.

Maximum number of treatments: 2 per year.

This strategy should include using in rotation with products that have a different mode of action or different chemical group that are effective against the target disease.



EXTERIS®
+ Stressgard®

IMPORTANT INFORMATION

FOR USE ONLY AS A HORTICULTURAL FUNGICIDE

Situation: Managed amenity turf.

Maximum individual dose: 10 L/ha

Maximum number of treatments: Two per year

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCT



3 700479 005984

Exteris Stressguard - IE - 5 L - IE85432877F - A3 - **ARTICLE 85348183**

For 24 hour emergency information contact Telephone: +44 20 3807 3798
Further information is available from: Telephone 00800 12149451

www.uk.envu.com
For SDS and larger label

Envu, the Envu logo and Exteris Stressgard® are trademarks
owned by Environmental Science U.S. LLC. or one of its affiliates

Authorisation Holder
2022 Environmental Science FR SAS
1 Place Giovanni Da Verazzano
69009 Lyon,
France

Batch Number :

EXTERIS® + Stressgard®

Fungicide

Exteris® Stressgard is a systemic and mesostemic fungicide which provides moderate control of Microdochium Patch (*Microdochium nivale*) and control of Dollar Spot (*Sclerotinia homoeocarpa*) when used in preventative or early curative situations on bowling greens, cricket pitches, lawn tennis courts, professional sports grounds/stadiums and golf greens, tees and fairways.

An aqueous suspension concentrate containing 12.5 g/L fluopyram and 12.5 g/L trifloxystrobin

For Professional use only

Exteris® Stressgard

Contains 12.5 g/L fluopyram and 12.5 g/L trifloxystrobin.

May cause an allergic skin reaction.

May cause harm to breast-fed children.

Very toxic to aquatic life with long lasting effects.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Do not breathe gas/mist/vapours/spray.

Avoid contact during pregnancy/while nursing.


Dispose of contents/container to a licenced hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.

Contains trifloxystrobin and 1,2-benzisothiazol-3(2H)-one. May produce an allergic skin reaction.

UFI : 5YD0-K0YV-V00R-QF24

PCS: 05719



4 x 5 L e
envu™

Preventative Microdochium
Patch disease management

F

EXTERIS® + Stressgard®

Fungicide

Exteris® Stressgard is a systemic and mesostemic fungicide which provides moderate control of Microdochium Patch (*Microdochium nivale*) and control of Dollar Spot (*Sclerotinia homoeocarpa*) when used in preventative or early curative situations on bowling greens, cricket pitches, lawn tennis courts, professional sports grounds/stadiums and golf greens, tees and fairways.

An aqueous suspension concentrate containing 12.5 g/L fluopyram and 12.5 g/L trifloxystrobin

For Professional use only

Exteris® Stressgard

Contains 12.5 g/L fluopyram and 12.5 g/L trifloxystrobin.

May cause an allergic skin reaction.

May cause harm to breast-fed children.

Very toxic to aquatic life with long lasting effects.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Do not breathe gas/mist/vapours/spray.

Avoid contact during pregnancy/while nursing.

Dispose of contents/container to a licenced hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.

Contains trifloxystrobin and 1,2-benzisothiazol-3(2H)-one. May produce an allergic skin reaction.

UFI : 5YD0-K0YV-V00R-QF24

PCS: 05719



4 x 5 L e
envu™

Preventative Microdochium
Patch disease management

F

IMPORTANT INFORMATION

FOR USE ONLY AS A HORTICULTURAL FUNGICIDE

Situation: Managed amenity turf.


10 L/ha

Maximum individual dose: Two per year

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE.

FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS

EXTERIS STRESSGARD - IE85351974F - A3



2 370047 900598 8

For 24 hour emergency information contact Telephone: +44 20 3807 3798

Further information is available from: Telephone 00800 12149451

Authorisation Holder
2022 Environmental Science FR SAS
1 Place Giovanni Da Verrazzano
69009 Lyon,
France

Envu, the Envu logo and Exteris Stressgard® are trademarks owned by Environmental Science U.S. LLC. or one of its affiliates

www.uk.envu.com
For SDS and larger label

Batch Number :